


Post-Neonatal Mortality Rate^{1,2}

Healthy People 2010 Objective: 1.2 deaths per 1,000 live births

National


El Paso County had a lower post-neonatal mortality rate than the United States and Texas in 2004.



Source: NCHS-MOD, 2004

State


Texas had the second-highest post-neonatal mortality rate of the Border States in 2004.



Source: NCHS-MOD, 2004

Texas Non-Border Counties


El Paso County had a lower post-neonatal mortality rate than the major Texas Non-Border Counties in 2004.



Source: NCHS-MOD, 2004

Texas Border Counties


El Paso County had the lowest post-neonatal mortality rate of the Texas Border Counties in 2004.



Source: NCHS-MOD, 2004

Non-Texas Border Counties

El Paso County had a lower post-neonatal mortality rate than the major Non-Texas Border Counties in 2004.



Source: CDPH-IPODR, 2004; ADHS-HSVS, 2004; NCHS-MOD, 2004; NMDOH-Vital Records, 2006

El Paso County	Healthy People Objective	Goal Met	Year
1.3	1.2	No	2004

¹Rate per 1,000 births

²Age: 28 days to less than 1 year

Sudden Infant Death Syndrome (SIDS) is the leading cause of post-neonatal mortality in the United States.

Reduce the Risk for SIDS

- Place babies to sleep on their backs
- Place babies on firm mattresses
- Remove loose bedding from sleep area
- Get adequate prenatal care
- Avoid material smoking and drug abuse
- Get regular well-baby check-ups

Source: Centers for Disease Control and Prevention, 2006

